







### ATTRACTIVE, UNIQUE APPEARANCE

Using leading edge technology, AHI Roofing has further extended its range of steel roof tiles with Decra Milano Tile — a profile with the timeless look of traditional Mediterranean roofs. Architects and Specifiers will enjoy working with the soft curves and versatility of this strong inter-locking profile on a wide range of roof styles.

Milano Tile comes in a wide range of colours which incorporates the traditional tile patched effect resulting in a simply stunning roof for your home.

# SOUND CONSTRUCTION, HIGH DURABILITY

Milano roofing tiles are manufactured from aluminiumzinc coated steel which offers superior protection from the elements.

Each panel is first pressed then an acrylic base coat is applied into which natural stone chips are embedded. An acrylic overglaze is then applied as a finishing seal. The underside of each tile has a protective coating of clear acrylic resin. Because all Milano roofing tile coatings are applied after pressing there are no problems with micro cracking. In addition, Milano roofing tiles make an ideal cladding over a pitched concrete slab.

## Timeless style, longer life

















\*\*(quoted by BHP in BIEC clips issue 48, 8/97 for uncoated Zincalume®)




## Timeless style, longer life



# SUPERIOR WIND RESISTANCE

Milano roofing tiles have a unique horizontal fixing system. Because each panel is fixed horizontally to roof battens, wind shear is virtually eliminated. Most other roofing products rely on vertical fixing methods that are prone to lifting in high winds.



### LIGHTWEIGHT NOT DEADWEIGHT

Milano roofing tiles are <sup>1</sup>/<sub>6</sub>th the weight of concrete tiles over an equivalent roof area. This means substantial savings can be achieved in a building's structural costs. Lower overhead weight is also safer in earthquake prone areas.





#### **TECHNICAL INFORMATION:**


#### MILANO TILE

Overall length:	1335 mm	
Length of cover:	1215 mm	
Width of cover:	368 mm	
Upstand:	22 mm	
Roof cover/tile:	$0.45 \text{ m}^2$	
Coverage tiles/m <sup>2</sup> :	$2.2 \text{ tile /m}^2$	
Weight/unit:	2.9 kg	




#### FLAT SHEET

Overall length	2000 mm	
Width	400/490 mm	
Weight/unit	3.9/4.8 kg	




#### MILANO WALL FLASHING

Overall length	1308 mm
Length of cover	1215 mm
Weight/unit	1.4 kg



#### MILANO RIDGE FLASHING A


Overall length	1308mm
Length of cover	1215mm
Weight / unit	1 0kσ



DISTRIBUTOR:

#### SIDE FLASHING

Overall length	2000 mm
Length of cover	1900 mm
Upturn	86 mm
Width	17 mm
Downturn	57 mm
Weight/unit	1.4 kg



#### BARREL 150

Overall length	400 mm	
Length of cover	370 mm	
Weight/ unit	0.6 kg	



BARREL END 150		_
Diameter	150 mm	150
Weight/ unit	0.1 kg	
		_

#### FOR FURTHER TECHNICAL INFORMATION OR ASSISTANCE CONTACT:

#### AHI ROOFING LIMITED

90-104 Felton Mathew Ave PO Box 18071, Glen Innes Auckland 1743, New Zealand Tel: +64 9 978 9010 Fax: +64 9 978 9069 export@ahiroofing.co.nz

#### ASIA REGIONAL OFFICE

Lot 12, Nilai Industrial Estate, 71800 Nilai, Negeri Sembilan Malaysia Tel: +60 6 799 1877 Fax: +60 6 799 1827 info@ahiroofing.com.my

#### EUROPEAN REGIONAL OFFICE

AHI Roofing Kft H-8100 Várpalota, Fehérvári út 28/14 Hungary Tel: +36 88 552 810 Fax: +36 88 552 888 info@gerardroofs.eu

JAPAN REGIONAL OFFICE 6F Pinex Kojimachi 4-4-3 Kojimachi, Chiyoda-ku Toyko 102-0083, Japan Tel: +81 3 3264 8701 Fax: +81 3 3264 8726 info@ahiroofing.jp

#### MIDDLE EAST REGIONAL OFFICE

Emirates Towers, Level 41 Sheikh Zayed Rd PO Box 31303, Dubai United Arab Emirates Tel: 971 4 319 7685 Fax: 971 4 319 7687 ahiroof@emirates.net.ae

AFRICA REGIONAL OFFICE 11 Station Rd, Toddington Bedfordshire LU5 6BN Tel: 44 0 1525 634255 Fax: 44 0 1525 634266 ahi.roof@ntlworld.com

#### CHINA REGIONAL OFFICE

Room 2301, RenFeng Building, 490 TianHe Road, TianHe district, Guangzhou 510630, Tel: 86 20 3888 9577 Fax: 86 20 3888 9575 info@ahiroofing.com.cn

www.ahiroofing.com

